



GableCraft Ltd. Unit 3B, Harpings Road, Hull, East Yorkshire HU5 4JF

Profile Type & Intended Use

Year:	13
DoP No:	GCL / Halo / 1-7-2013 / Version 1
Date of manufacture:	See label affixed to frame
Halo Internally Glazed Casement Window	
Intended for use in domestic or commercial refurbishment or new building applications.	

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

Watertightness:	NPD
Dangerous substances:	None released under normal indoor use (1)
Resistance to wind load:	NPD
Load-bearing capacity of safety devices:	Pass, 350N when fitted (2)
Acoustic performance:	NPD
Thermal transmittance:	No worse than 3.0 W/m ² k (3)
Radiation Properties:	NPD
Air permeability:	NPD

A Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010.

Reporting Data

(1) Statement can be viewed at www.GableCraft.com on the CE page

(2) Taken from reports provided by: **See Manufacturer** Notified Body No: **See Manufacturer** Report No: **See Manufacturer**

(3) Taken from reports provided by: **See Manufacturer** Notified Body No: **See Manufacturer** Report No: **See Manufacturer**

Name (Print) Matthew Wilkinson

Position Managing Director

Signed 

Date and Place of Issue 1st July 2013, Gablecraft Ltd