



GableCraft Ltd. Unit 3B, Harpings Road, Hull, East Yorkshire HU5 4JF

**Profile Type & Intended Use**

<b>Year:</b>	13
<b>DoP No:</b>	GCL / Kommerling / 1-7-2013 / Version 1
<b>Date of manufacture:</b>	See label affixed to frame
<b>Kommerling Internally Glazed Casement Window</b>	
Intended for use in domestic or commercial refurbishment or new building applications.	

**Annex ZA.1 of BS EN 14351-1:2006+A1:2010**

<b>Watertightness:</b>	NPD
<b>Dangerous substances:</b>	None released under normal indoor use (1)
<b>Resistance to wind load:</b>	NPD
<b>Load-bearing capacity of safety devices:</b>	Pass, 350N when fitted (2)
<b>Acoustic performance:</b>	NPD
<b>Thermal transmittance:</b>	No worse than 3.0 W/m <sup>2</sup> k (3)
<b>Radiation Properties:</b>	NPD
<b>Air permeability:</b>	NPD

A Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010.

**Reporting Data**

(1) Statement can be viewed at [www.GableCraft.com](http://www.GableCraft.com) on the CE page

(2) Taken from reports provided by: **See Manufacturer** Notified Body No: **See Manufacturer** Report No: **See Manufacturer**

(3) Taken from reports provided by: **See Manufacturer** Notified Body No: **See Manufacturer** Report No: **See Manufacturer**

Name (Print) Matthew Wilkinson

Position Managing Director

Signed 

Date and Place of Issue 1st July 2013, Gablecraft Ltd