



GableCraft Ltd. Unit 3B, Harpings Road, Hull, East Yorkshire HU5 4JF

Profile Type & Intended Use

| | |
|--|--------------------------------------|
| Year: | 13 |
| DoP No: | GCL / Spectus / 1-7-2013 / Version 1 |
| Date of manufacture: | See label affixed to frame |
| Spectus Internally Glazed Casement Window | |
| Intended for use in domestic or commercial refurbishment or new building applications. | |

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

| | |
|---|---|
| Watertightness: | NPD |
| Dangerous substances: | None released under normal indoor use (1) |
| Resistance to wind load: | NPD |
| Load-bearing capacity of safety devices: | Pass, 350N when fitted (2) |
| Acoustic performance: | NPD |
| Thermal transmittance: | No worse than 3.0 W/m ² k (3) |
| Radiation Properties: | NPD |
| Air permeability: | NPD |

A Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010.

Reporting Data

(1) Statement can be viewed at www.GableCraft.com on the CE page

(2) Taken from reports provided by: **See Manufacturer** Notified Body No: **See Manufacturer** Report No: **See Manufacturer**

(3) Taken from reports provided by: **See Manufacturer** Notified Body No: **See Manufacturer** Report No: **See Manufacturer**

Name (Print) Matthew Wilkinson

Position Managing Director

Signed 

Date and Place of Issue 1st July 2013, Gablecraft Ltd